

## Statutory Declaration Registration of Fittings

Building Act (B-1.1)  
Regulation respecting pressure vessels (B-1.1, r. 6.1)  
Boiler, pressure vessel, and pressure piping code (CSA B51)

CRANE

HOKE

This declaration must be filled out and sent to the Régie du bâtiment du Québec (RBQ) by pressure fitting manufacturers when they make an application registration for fittings.

For more information on the application registration for fittings, consult the [www.rbq.gouv.qc.ca/fittings-pv](http://www.rbq.gouv.qc.ca/fittings-pv).

## 1. Fittings to register

List the fittings included in this declaration and that you wish to register.

N°	Description	Additional information (detail, calculations or approval sheets)
1	VALVES	SCOPE OF REGISTRATION Rev B
2		
3		
4		
5		

## 2. Declaration of the person in charge

The person in charge is someone in a position of authority, such as a vice-president, a plant manager or a chief engineer.

## 2.1 Design

I, the undersigned, PAUL WRIGHT ENGINEERING SUPERVISOR,  
(Name of the person in charge) (Title of the person in charge)  
from CRANE I&S PFT CORP., located at 405 CENTURA COURT, SPARTANBURG, SC 29303 USA  
(Company's name) (Plant's address)

hereby declare that the above-mentioned fittings and subject to the Regulation respecting pressure installations:

☒ comply with the requirements of the ANSI/ASME codes as to their dimensions, identification, material and purpose  
or


☐ are not covered by the ANSI/ASME codes, but are in compliance with \_\_\_\_\_  
(Name of code or standard)

code or standard and are designed according to the best current engineering practice, as proven by the enclosed approval report.

## 2.2 Manufacturing quality control

I further declare that the manufacture of these fittings is controlled by a quality control program that complies with the requirements of the  
following code: ISO 9001: 2015, and has been verified by SAI GLOBAL.  
(Name of code) (Authorized agency)


Signature of the person in charge:




Date (yyyy-mm-dd): 2022-05-02



### 3. Declaration of commissioner for oaths

I certify that this declaration has been administered before me, at <u>Spartanburg</u> , on <u>2022-05-02</u> .	
(Location)	(Date (yyyy-mm-dd)):
Signature of commissioner for oaths: <u>Cymbeline L.E. Rogers</u>	Date (yyyy-mm-dd): <u>2022-05-02</u>
Stamp the seal: 	

### 4. Registration confirmation (for RBQ's use only)

As far as I know, this application complies with the requirements of the Act and with standard CSA B51, Part 1, section 4.2, and is accepted for registration in the class _____.	
This registration expires in ten (10) years after the date of registration indicated above, and it must be validated again after this period.	
Canadian registration number (CRN):	Registration date (yyyy-mm-dd):
	

#### Documents to attach

Any application registration for fittings must include these documents:

- Statutory Declaration Registration of Fittings (2 copies)
- Detailed calculations or burst test report (1 copy)
- Detailed technical drawings or catalogues (2 copies)
- Example of the manufacturer's marking (1 copy)
- Proof that a valid and approved quality control program has been implemented (1 copy)
- Form Application for design registration (1 copy)

#### Sending the form

This declaration is necessary to submit an application for design registration. Design registration applications must be sent by email only to [enregistrementdesplans@rbq.gouv.qc.ca](mailto:enregistrementdesplans@rbq.gouv.qc.ca).

Documents must be in PDF format and in separate files.



## Statutory Declaration Registration of Fittings

Building Act (B-1.1)  
Regulation respecting pressure vessels (B-1.1, r. 6.1)  
Boiler, pressure vessel, and pressure piping code (CSA B51)

This declaration must be filled out and sent to the Régie du bâtiment du Québec (RBQ) by pressure fitting manufacturers when they make an application registration for fittings.

For more information on the application registration for fittings, consult the [www.rbq.gouv.qc.ca/fittings-pv](http://www.rbq.gouv.qc.ca/fittings-pv).

## 1. Fittings to register

List the fittings included in this declaration and that you wish to register.

N°	Description	Additional information (detail, calculations or approval sheets)
1	VALVES	SCOPE OF REGISTRATION
2		
3		
4		
5		

## 2. Declaration of the person in charge

The person in charge is someone in a position of authority, such as a vice-president, a plant manager or a chief engineer.

## 2.1 Design

I, the undersigned, PAUL WRIGHT ENGINEERING SUPERVISOR,  
(Name of the person in charge) (Title of the person in charge)

from CRANE I&S PFT CORP., located at 405 CENTURA COURT, SPARTANBURG, SC 29303 USA  
(Company's name) (Plant's address)

hereby declare that the above-mentioned fittings and subject to the Regulation respecting pressure installations:

☒ comply with the requirements of the ANSI/ASME codes as to their dimensions, identification, material and purpose  
or  
☐ are not covered by the ANSI/ASME codes, but are in compliance with \_\_\_\_\_  
(Name of code or standard)

code or standard and are designed according to the best current engineering practice, as proven by the enclosed approval report.

## 2.2 Manufacturing quality control

I further declare that the manufacture of these fittings is controlled by a quality control program that complies with the requirements of the following code: ISO 9001:2015, and has been verified by SAI GLOBAL.  
(Name of code) (Authorized agency)

Signature of the person in charge: Paul Wright Date (yyyy-mm-dd): 2022-07-29

### 3. Declaration of commissioner for oaths

I certify that this declaration has been administered before me, at <u>Spartanburg</u> , on <u>2022-07-29</u> . (Location) (Date (yyyy-mm-dd)):	
Signature of commissioner for oaths: <u>Cymbeline L.E. Rogers</u>	Date (yyyy-mm-dd): <u>2022-07-29</u>
Stamp the seal: 	

### 4. Registration confirmation (for RBQ's use only)

As far as I know, this application complies with the requirements of the Act and with standard CSA B51, Part 1, section 4.2, and is accepted for registration in the class _____.	
This registration expires in ten (10) years after the date of registration indicated above, and it must be validated again after this period.	
Canadian registration number (CRN):	Registration date (yyyy-mm-dd):



#### Documents to attach

Any application registration for fittings must include these documents:


- Statutory Declaration Registration of Fittings (2 copies)
- Detailed calculations or burst test report (1 copy)
- Detailed technical drawings or catalogues (2 copies)
- Example of the manufacturer's marking (1 copy)
- Proof that a valid and approved quality control program has been implemented (1 copy)
- Form Application for design registration (1 copy)

#### Sending the form


This declaration is necessary to submit an application for design registration. Design registration applications must be sent by email only to [enregistrementdesplans@rbq.gouv.qc.ca](mailto:enregistrementdesplans@rbq.gouv.qc.ca).

Documents must be in PDF format and in separate files.



 <p>ER-Valves2_CRN</p>	<p align="center"><b>Engineering Report</b></p> <p align="center"><b>Title Qualification of Hoke Valves by Burst Test and Similarity</b></p>	<p>REV. DATE: PAGE:</p>	<p align="center">- 2-FEB-2022 103 OF 104</p>
---	--	---------------------------------	---

## APPENDIX F: Scope of Registration

 <b>ER-Valves2_CRN</b>	<b>Engineering Report</b>  <b>Title Qualification of Hoke Valves by Burst Test and Similarity</b>	<b>REV.</b> <b>DATE:</b> <b>PAGE:</b>	<b>-</b> <b>2-FEB-2022</b> <b>104 OF 104</b>
--	---	---	--

SCOPE OF REGISTRATION						
Hoke Valve Series	Main Pressure Bearing Components	Conn. Sizes	Min. Design Metal Temp. (MDMT)	Maximum Allowable Working Pressure		Design Code of Construction
				MDMT $\leq T \leq 100^{\circ}\text{F}$	At Max. Temp.	
7100	Body: ASME SA-479 / ASTM A479 S31600/31603	Female NPT (ALL) (71_F_Y)	-20°F	3617 PSIG	3433 PSIG @ 425°F	ASME B31.1 ASME B31.3
		Gyrolok End (ALL) (71_G_Y or 71_G_YMM)		4261 PSIG	4186 PSIG @ 425°F	
		ALL	-20°F	5000 PSIG	5000 PSIG @ 350°F	
		1/4" Gyrolok & 1/4" Female NPT	0°F	2000 PSIG	2000 PSIG @ 350°F	
7200		ALL	-20°F	5000 PSIG	5000 PSIG @ 350°F	
79 (7911G4Y, 7911F4Y, 7931G4Y, 7931F4Y)		ALL	-40°F	3600 PSIG	3600 PSIG @ 400°F	
DV1		ALL	-40°F	3600 PSIG	3600 PSIG @ 400°F	



This report contains proprietary data. Distribution to parties outside of Crane Instrumentation & Sampling Inc. is prohibited without Engineering approval. Compliance to all export control regulations must be maintained.